


## **ADVERTISEMENT FOR TENDER**

Ref. no: DAV/LKI/2022/403


Date: 29/08/2022

DAV Public School, N.H-80, Barahiya Road, Lakhisarai on behalf of DAV CMC, New Delhi invites sealed tenders from interested eligible construction companies for construction/ miscellaneous work at DAV Public School, N.H-80, Barahiya Road, Lakhisarai such as **Main Gate, Guard Room Painting of School Building Block, Interior/ Exterior walls, old boundary wall, grills windows and doors** as per drawing and design of architect and approved by DAV College Managing Committee, New Delhi against the terms & conditions mentioned below:-

1. The lowest quoted rate/ tender will be selected by the competent authority/ Building sub- committee.
2. Offered rates are negotiable.
3. Standard quality materials be used.
4. The Work must be completed within 04 months from the date of allotment of the said work.
5. Sealed quotations be sent to the Principal, DAV Public School, N.H-80, Barahiya Road, Lakhisarai (Bihar), Pin Code- 811311.
6. Drawing, design and specifications provided by the Architect should be studied properly before submitting the bid (technical bid / financial bid).
7. The details of the work to be done is available in the school's website i.e [www.dav lakhisarai.com](http://www.dav lakhisarai.com).
8. Interested parties are requested to visit DAV Public School, N.H-80, Barahiya Road, Lakhisarai site if they wish, before quoting the rates.
9. Technical bid should be submitted on or before 07/09/2022 through email [davki@yahoo.in](mailto:davki@yahoo.in).
10. Information regarding selection and rejection of technical bid will be intimated through mail.
11. Last date for submitting the sealed financial bid in the prescribed B.O.Q., by post or by Hand will be 12/09/2022. No entry will be accepted after the last date.
12. The financial bid will be opened on 19/09/2022 at Regional Office, DAV Public Schools, Bihar Zone-D, C/o BR DAV Public School, Refinery Township, (IOCL), Begusarai at 11:30 a.m.
13. The competent authority/ Building Sub-Committee reserves the right to accept or reject any of the tenders without assigning any reason.
14. All payments by the employer under the contract/ agreement will be made by mutual understanding on submission of running bill and has to be approved by the designated Architect.
15. The defect and liability period shall be for 12 months. 10% of final approved bill amount of the contractors shall be retained as retention money upto 12 months from the date of handing over.

  
Principal  
Principal  
DAV Public School  
Lakhisarai-811311 (Bihar)  
Affiliation No.-330232

  
Manager  
Manager  
DAV PUBLIC SCHOOL  
Barahiya Road, Lakhisarai  
Bihar-811311  
Affiliation No.-330232

  
Asstt. Regional Officer  
Assistant Regional Officer  
Bihar Zone-D  
DAV Public Schools  
Begusarai

# M/S HAPPY AND ASSOCIATES

ARCHITECTS, ENGINEERS, INTERIOR DESIGNERS

Add:- 1st floor, Lalit Bhawan, Opp Dhoop Factory, New Godown, Gaya - 823001 (Bihar)

Mob. No. 7739269750, 09776824147 / Email : happyandassociate@gmail.com, sinha.prashant100@gmail.com

Ref no .....

Date .....

**ABSTRACT OF COST FOR PAINTING OF BUILDING BLOCK - INNER WALLS , EXTERIOR WALLS , OLD BOUNDARY, GRILLS (WINDOWS) , DOORS  
D.A.V. SHERGHATI, GAYA , BIHAR**

S.NO	D.S.R	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1	13.83	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour. 13.83.2 Two coats	17384	sqm		
2	13.46	Finishing walls with Acrylic Smooth exterior paint of required shade BUILDING BLOCK + OLD BOUNDARY WALL (dado painting )	4339	sqm		
3	13.61	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade	3518	Sqm		

**TOTAL**

Note- All the estimated rates are based and referred to D.S.R, Schedule of rates

SAY TOTAL COST = RS ..... /- .....

RATES PER SQ FT	
EMULSION PAINT (FOR INTERIOR)	Rs ____/ Sq Ft.
EXTERIOR PAINT	Rs ____/ Sq Ft.
ENAMEL PAINT	Rs ____/ Sq Ft.

# M/S HAPPY AND ASSOCIATES

ARCHITECTS , ENGINEERS , INTERIOR DESIGNERS

Add:- 1st floor , Lalit Bhawan , Opp Dhoop Factory , New Godown , Gaya - 823001 (Bihar)

Mob. No. 7739269750, 09776824147 / Email : happyandassociate@gmail.com, sinha.prashant100@gmail.com

ABSTRACT OF COST FOR CONSTRUCTION OF MAIN GATE AND GUARD ROOM AT - D A V PUBLIC SCHOOL,  
LAKHISARAI, BIHAR

Ref no .....

Date .....

Serial	SoR	Particulars	Quantity	Rate	Unit	Amount
		<b>FOUNDATION TO PLINTH</b>	185.0		sqft	
1	2.8.1	<b>Earth work in excavation</b> in foundation trenches or drains(not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.All Kinds of soil	15.4		Cu m	
2	2.28	Supplying and filling in plinth with <b>Local sand</b> including watering, ramming, consolidating and dressing complete	4.6		Cu m	
3	11.72	Providing designation 100A one <b>brick flat soling</b> joints filled with local sand complete	30.7		Sq m	
4	4.1.3	Providing <b>PCC (1:2:4)</b> with graded Stone chips of 20 mm nominal size excluding the cost of centring and shuttering all works in Foundation all complete	3.7		Cu m	
5	5.1.2	Providing and laying in position specified grade of <b>reinforced cement concrete</b> in foundation excluding the cost of centring ,shuttering ,finishing and reinforcement- 1:1:5:3(1 cement: 1.5 coarse sand:3 graded stone aggregate 20 mm nominal size)	9.5		Cu M	
6	5.22	<b>Reinforcement</b> for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete.Thermo-Mechanically Treated bars TMTC-500-				
	5.22.7A	Thermo-Mechanically Treated bars TMTC-500-8mm dia.	140.0		Kg	
	5.22.7B	Thermo-Mechanically Treated bars TMTC-500-10mm dia.	62.0		Kg	
	5.22.7C	Thermo-Mechanically Treated bars TMTC-500-12mm dia.	297.0		Kg	
	5.22.7D	Thermo-Mechanically Treated bars TMT Fe-500-16mm dia.	100.0		Kg	
7	5.9	<b>Centring and shuttering</b> including strutting,propping etc. and removal of form for.				
	5.9.1	Foundations, footings, bases of columns etc. for mass concrete.	3.2		Sq m	
	5.9.5	Lintels, beams, plinth bams, griders, bressumers and contilevers.	32.0		sq m	
			TOTAL			

		GROUND TO GATE TOP	185.0	SQFT	
1	5.2.2	<b>Reinforced cement concrete</b> work in wall (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. up to floor five level excluding cost of centring, shuttering, finishing and reinforcement. 1:1:5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size)	20.0		Cu m
2	5.3	<b>R C C</b> work in beams, suspended floors, roofs having slope upto 15, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases up to floor five level excluding the cost of centring, shuttering, finishing and reinforcement with 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size).	2.7		Cu m
3	5.22	<b>Reinforcement</b> for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars TMTC-500-			
	5.22.7A	Thermo-Mechanically Treated bars TMTC-500-8mm dia.	162.0		Kg
	5.22.7B	Thermo-Mechanically Treated bars TMTC-500-10mm dia.	194.0		Kg
	5.22.7C	Thermo-Mechanically Treated bars TMTC-500-12mm dia.	168.0		Kg
	5.22.7D	Thermo-Mechanically Treated bars TMT Fe-500-16mm dia.	150.0		Kg
4	5.9	<b>Centring and shuttering</b> including strutting, propping etc. and removal of form for.			
	5.9.3	Suspended floors, roofs, landings, balconies and access platform.	17.2		sq m
	5.9.6	Columns, Pillars, Piers, Abutments, Posts and Struts	41.8		sq m
	5.9.5	Lintels, beams, plinth bams, girders, bressumers and cantilevers.	34.5		sq m

5	6.1.12C	<b>Fly ash Brick work</b> with cement mortar (1:4) in Foundation & Plinth			Cu m	
	6.3C	Extra tor Brick work in superstructure above plinth level upto floor V cum			cum	
			10.2		cum	
6	13.11.4	<b>12 mm (1:6) cement Plaster</b>	90.0		Sq m	
7	11.38	Providing and laying Ceramic glazed <b>floor tiles</b> 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS : 15622 of approved make in colours such shades except white , Ivory , Grey , Fume Red , Brown , laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	8.3		Sq m	
8	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS : 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy , bottle green , black of any size as approved by Engineer-in-charge in skirting , risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand ) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	24.7		sqm	
9	13.78.1	Providing one coat of <b>cement primer</b> of approved brand and manufacture on wall surface all complete	94.8		Sq m	

10	13.79.1	Providing <b>water proof cement paint</b> of approved brand and manufacture and of required shade to give an even shade three or more coat on new work all complete	94.8		Sq m	
11	9.144	Providing and fixing 37 mm thick factory made PVC door shutter, styles and rails made of PVC hollow section of size 100 mm x 37 mm with wall thickness 2 mm ( ± 0.2 mm),	1.9		sqm	
12	9.10.1	Providing and fixing factory made laminated veneer lumber glazed shutter conforming to IS: 14616 and TADS 15:2001 (Part B), using 4 mm thick float glass panes for doors, windows and clerestory windows, 30 mm thick shutters	1.2		sqm	
13	NA	Designing, fabricating, testing, installing and fixing in position school name in metallic letters of 1'6" height	LUMSUM			
14	NA	Designing, fabricating, testing, installing and fixing in position school LOGO	LUMSUM			
15	NA	LED smart lights for visual aesthetics	LUMSUM			
16	10.32.2	Steel work welded in built up sections/framed work applying a priming coat of approved steel primer @ 110 Kg per Sq m In gratings, frames, guard bar, ladders, railings, brackets, gates & similar works.	1,000.0	88.80	KG	
			<b>Total</b>			
			<b>GRAND TOTAL</b>			
			<b>TOTAL COST</b>			
<b>SAY, TOTAL COST- Rs. ....../-</b>						
(.....)						